

Freeform Search

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Term:

 Display: Documents in Display Format: Starting with Number

 Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

 DATE: Monday, July 19, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L20</u>	L19 and l18	2	<u>L20</u>
<u>L19</u>	((driver with (fixed or set)) with (port or line) with (DC or (direct adj3 current)))	22	<u>L19</u>
<u>L18</u>	((driver with (variable or chang\$5)) with (port or line) with (DC or (direct adj3 current)))	10	<u>L18</u>
	<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>		
<u>L17</u>	L16 and l15	10	<u>L17</u>
<u>L16</u>	((driver with (fixed or set)) with (port or line) with (DC or (direct adj3 current)))	47	<u>L16</u>
<u>L15</u>	((driver with (variable or chang\$5)) with (port or line) with (DC or (direct adj3 current)))	61	<u>L15</u>
<u>L14</u>	((driver near6 (variable or chang\$5)) with port with (DC or (direct adj3 current)))	2	<u>L14</u>
<u>L13</u>	L12 and ((driver near6 (variable or chang\$5)) with port)	6	<u>L13</u>
<u>L12</u>	(plesiosynchronous\$2 or plesiochronous\$2 or ("same" or identical) near3 (clock\$3 or frequency))) and ((driver near6 (fixed or set)) with port)	27	<u>L12</u>
<u>L11</u>	((plesiosynchronous\$2 or plesiochronous\$2 or ("same" or identical) near3 frequency)) with ((out adj2 band) or (in-band) or (in adj2 band)) and ((memory or storage or bank or section or portion) with port))	7	<u>L11</u>
	<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>		

<u>L10</u>	configur\$6 with (bank ne (section or portion)near6 enabl\$4)	4	<u>L10</u>
<u>L9</u>	configur\$6 with (bank near4 enabl\$4)	116	<u>L9</u>
<u>L8</u>	L6 and (driver with DC)	25	<u>L8</u>
<u>L7</u>	L6 and oversampl\$3	2	<u>L7</u>
<u>L6</u>	L5 and ((port or path) with driver)	265	<u>L6</u>
<u>L5</u>	driver with line with (fixed or variable)	1289	<u>L5</u>
<u>L4</u>	5574849.pn. and (driv\$4 with (fixed or variable))	0	<u>L4</u>
<u>L3</u>	5574849.pn. and driv\$4	1	<u>L3</u>
<u>L2</u>	5574849.pn. and oversampl\$4	0	<u>L2</u>
<u>L1</u>	time adj2 multiplex\$4	30689	<u>L1</u>

END OF SEARCH HISTORY